

CONTENTS

1	Scope	17
2	Normative references	23
3	Terms and definitions	24
4	Grouping and classification of intrinsically safe apparatus and associated apparatus	30
5	Levels of protection and ignition compliance requirements of electrical apparatus	31
5.1	General.....	31
5.2	Level of protection "ia".....	31
5.3	Level of protection "ib".....	32
5.4	Level of protection "ic".....	32
5.5	Spark ignition compliance.....	32
5.6	Thermal ignition compliance	33
5.7	Simple apparatus	36
6	Apparatus construction	37
6.1	Enclosures	37
6.2	Facilities for connection of external circuits	39
6.3	Separation distances	44
6.4	Protection against polarity reversal	56
6.5	Earth conductors, connections and terminals	56
6.6	Encapsulation	57
7	Components on which intrinsic safety depends	59
7.1	Rating of components.....	59
7.2	Connectors for internal connections, plug-in cards and components.....	59
7.3	Fuses.....	60
7.4	Primary and secondary cells and batteries	61
7.5	Semiconductors	64
7.6	Failure of components, connections and separations	65
7.7	Piezo-electric devices.....	67
7.8	Electrochemical cells for the detection of gases	67
8	Infallible components, infallible assemblies of components and infallible connections on which intrinsic safety depends.....	67
8.1	Level of Protection "ic"	67
8.2	Mains transformers	67
8.3	Transformers other than mains transformers	69
8.4	Infallible windings	70
8.5	Current-limiting resistors	70
8.6	Capacitors.....	71
8.7	Shunt safety assemblies.....	72
8.8	Wiring, printed circuit board tracks, and connections	73
8.9	Galvanically separating components	74
9	Supplementary requirements for specific apparatus	75
9.1	Diode safety barriers	75
9.2	FISCO apparatus	76

9.3 Handlights and caplights.....	76
10 Type verifications and type tests	76
10.1 Spark ignition test	76
10.2 Temperature tests	80
10.3 Dielectric strength tests	81
10.4 Determination of parameters of loosely specified components	81
10.5 Tests for cells and batteries.....	82
10.6 Mechanical tests	84
10.7 Tests for intrinsically safe apparatus containing piezoelectric devices	84
10.8 Type tests for diode safety barriers and safety shunts	85
10.9 Cable pull test	85
10.10 Transformer tests.....	86
10.11 Optical isolators tests	86
10.12 Current carrying capacity of infallible printed circuit board connections	88
11 Routine verifications and tests	89
11.1 Routine tests for diode safety barriers	89
11.2 Routine tests for infallible transformers	89
12 Marking	90
12.1 General.....	90
12.2 Marking of connection facilities	91
12.3 Warning markings	91
12.4 Examples of marking	92
13 Documentation	93
Annex A (normative) Assessment of intrinsically safe circuits	95
Annex B (normative) Spark test apparatus for intrinsically safe circuits	117
Annex C (informative) Measurement of creepage distances, clearances and separation distances through casting compound and through solid insulation	125
Annex D (normative) Encapsulation	129
Annex E (informative) Transient energy test	137
Annex F (normative) Alternative separation distances for assembled printed circuit boards and separation of components	141
Annex G (normative) Fieldbus intrinsically safe concept (FISCO) – Apparatus requirements	145
Annex H (informative) Ignition testing of semiconductor limiting power supply circuits	151
Annex I Reserved for future use	163
Annex J (informative) National Differences Types noted in ANSI/ISA-60079-11 United States National Differences for IEC 60079-11	165
 Figure 1 – Separation of intrinsically safe and non-intrinsically safe terminals	42
Figure 2 – Example of separation of conducting parts.....	48
Figure 3 – Determination of creepage distances	52
Figure 4 – Creepage distances and clearances on printed circuit boards	54
Figure 5 – Examples of independent and non-independent connecting elements	57

Figure A.1 – Resistive circuits	98
Figure A.2 – Group I capacitive circuits	99
Figure A.3 – Group II capacitive circuits	100
Figure A.4 – Inductive circuits of Group II	101
Figure A.5 – Group I inductive circuits	102
Figure A.6 – Group IIC inductive circuits	103
Figure A.7 – Simple inductive circuit.....	104
Figure A.8 – Simple capacitive circuit.....	104
Figure A.9 – Equivalent capacitance	116
Figure B.1 – Spark test apparatus for intrinsically safe circuits	121
Figure B.2 – Cadmium contact disc	122
Figure B.3 – Wire holder	122
Figure B.4 – Example of a practical design of spark test apparatus	123
Figure B.5 – Arrangement for fusing tungsten wires	124
Figure C.1 – Measurement of clearance	125
Figure C.2 – Measurement of composite distances.....	126
Figure C.3 – Measurement of creepage.....	127
Figure C.4 – Measurement of composite creepage	127
Figure D.1 – Examples of encapsulated assemblies conforming to 6.3.5 and 6.6	131
Figure D.2 – Applications of encapsulation using casting compound without an enclosure ...	133
Figure D.3 – Examples of assemblies using moulding conforming to 6.6	134
Figure E.1 – Example of test circuit.....	138
Figure E.2 – Example of output waveform	139
Figure G.1 – Typical system.....	150
Figure H.1 – Safety factor vs ignition probablity	161
 Table 1 – Applicability of specific clauses of IEC 60079-0.....	18
Table 2 – Temperature classification of copper wiring (in a maximum ambient temperature of 40 °C)	34
Table 3 – Temperature classification of tracks on printed circuit boards (in a maximum ambient temperature of 40 °C)	35
Table 4 – Maximum permitted power dissipation within a component immersed in dust.....	36
Table 5 – Clearances, creepage distances and separations	46
Table 6 – Minimum foil thickness or minimum wire diameter of the screen in relation to the rated current of the fuse.....	68
Table 7 – Compositions of explosive test mixtures adequate for 1,0 safety factor	77
Table 8 – Compositions of explosive test mixtures adequate for 1,5 safety factor	78
Table 10 – Routine test voltages for infallible transformers	90
Table 11 – Text of warning markings.....	91

Table A.1 – Permitted short-circuit current corresponding to the voltage and the Equipment Group.....	105
Table A.2 – Permitted capacitance corresponding to the voltage and the Equipment Group .	110
Table A.3 – Permitted reduction of effective capacitance when protected by a series resistance.....	116
Table F.1 – Clearances, creepage distances and separations for Level of Protection "ia" and "ib" when ingress protected, and special conditions of material and installation are fulfilled	143
Table F.2 – Clearances, creepage distances and separations for Level of Protection "ic" when ingress is protected by an enclosure or by special conditions of installation	144
Table G.1 – Assessment of maximum output current for use with 'ia' and 'ib' FISCO rectangular supplies.....	146
Table G.2 – Assessment of maximum output current for use with 'ic' FISCO rectangular supplies.....	146
Table H.1 – Sequence of tests	154
Table H.2 – Safety factor provided by several explosive test mixtures that may be used for the tests in Table H.1	156
Table H.3 – Example of a Group I circuit with characteristics described by Curve II of Figure H.1 – This passes the test sequence of Table H.1	157
Table H.4 – Example of a Group I circuit with characteristics described by Curve III of Figure H.1 – This does not pass the test sequence of Table H.1.....	159