Contents

Foreword 11

Introduction 13

1 General 17

2 Definitions 20

Figure 1 — Warm-up time in clean air (typical) 24

Figure 2 — Warm-up time in standard test gas (typical) 24

3 General requirements 24

4 Test methods 30

5 Field calibration kit 44

Annex A (normative) — Flammability limits (i.e. LFL and UFL) of some flammable gases and vapours 45

~~Table A.1– Flammability data~~ 46

~~Table A.1 – Flammability data (continued)~~ 47

~~Table A.1 – Flammability data (continued)~~ 48

~~Table A.1 — Flammability data (continued)~~ 49

~~Table A.1 — Flammability data (continued)~~ 50

~~Table A.1 — Flammability data (continued)~~ 51

~~Table A.1 — Flammability data (continued)~~ 52

~~Table A.1 — Flammability data (continued)~~ 53

~~Table A.1 — Flammability data (continued)~~ 54

~~Table A.1 — Flammability data (continued)~~ 55

~~Table A.1 — Flammability data (continued)~~ 56

~~Table A.1 — Flammability data (continued)~~ 57

~~Table A.1 — Flammability data (continued)~~ 58

~~Table A.1 — Flammability data (continued)~~ 59

~~Table A.1 — Flammability data (continued)~~ 60

~~Table A.1 — Flammability data (concluded)~~ 61

Annex B (informative) — Determination of time of response 63

Figure B.1 — Schematic example of equipment for use with aspirated apparatus (also see B.1) 65

Figure B.2 — Schematic example of equipment during application of clean air or test gas (also see B.2.2) 66

Figure B.3 — Schematic example of equipment showing change-over from clean air to test gas to begin the time of response measurement (arrows indicate movement of applicators) (also see B.2.2) 66

Figure B.4 — Schematic example of applicator and sensor inlet during application of test gas or clean air (also see B.2.2) 67

Figure B.5 — An example of an automated test chamber (also see B.2.3.1) 68

Figure B.6 — Apparatus for step change and flooding tests 69

Annex C (informative) — Bibliography 71

Annex D (informative) — National deviations 73

Part 2 (IEC 61779-2 Mod) Electrical apparatus for the detection and measurement of flammable gases — Part 2: Performance requirements for group I apparatus indicating a volume fraction up to 100% lower explosive limit 75

~~1 Scope~~ 75

~~2 Definitions~~ 75

~~3 General requirements~~ 75

~~4 Performance requirements~~ 75

~~5 Field calibration kit~~ 79

Annex A (informative) — National deviations 81

Part 3 (IEC 61779-3 Mod) Electrical apparatus for the detection and measurement of flammable gases — Part 3: Performance requirements for group I apparatus indicating a volume fraction up to 100% methane in air 83

~~1 Scope~~ 83

~~2 Definitions~~ 83

~~3 General requirements~~ 83

~~4 Performance requirements~~ 83

~~5 Field calibration kit~~ 87

Annex A (informative) — National deviations 89

Part 4 (IEC 61779-4 Mod) Electrical apparatus for the detection and measurement of flammable gases — Part 4: Performance requirements for group II apparatus indicating a volume fraction up to 100% lower explosive limit 91

1 Scope 91

2 Definitions 91

3 General requirements 91

4 Performance requirements 91

5 Field calibration kit 96

Annex A (informative) — National deviations 97

Part 5 (IEC 61779-5 Mod) Electrical apparatus for the detection and measurement of flammable gases — Part 5: Performance requirements for group II apparatus indicating a volume fraction up to 100% gas 99

1 Scope 99

2 Definitions 99

3 General requirements 99

4 Performance requirements 99

5 Field calibration kit 104

Annex A (informative) — National deviations 105