CONTENTS

1 Scope 25
2 Normative references 25
3 Terms, definitions, abbreviated terms and acronyms 26
3.1 Terms and definitions 26
3.53 Abbreviated terms and acronyms 33
4 Conformance statement 34
5 Conventions for lexical structures 34
6 EDD and EDDL model 36
6.1 Overview of EDD and EDDL 36
6.2 EDD architecture 36
6.3 Concepts of EDD 36
6.4 Principles of the EDD development process 37
6.5 Interrelations between the lexical structure and formal definitions 38
6.6 Builtins 38
6.7 Profiles 38
7 Electronic Device Description Language 39
7.1 Overview 39
7.2 EDD identification information 50
7.3 AXIS 54
7.4 BLOCK 56
7.5 CHART 66
7.6 COLLECTION 68
7.7 COMMAND 70
7.8 CONNECTION 76
7.9 DOMAIN 77
7.10 EDIT_DISPLAY 78
7.11 FILE 80
7.12 GRAPH 81
7.13 GRID 84
7.14 IMAGE 88
7.15 IMPORT 89
7.16 LIKE 105
7.17 LIST 106
7.18 MENU 107
7.19 METHOD 119
7.20 PROGRAM 121
7.21 RECORD 123
7.22 REFERENCE_ARRAY 123
7.23 Relations 124
7.24 RESPONSE_CODES 126

Copyright 2007 ISA. All rights reserved.

7.25 SOURCE 126
7.26 VALUE_ARRAY 130
7.27 VARIABLE 131
7.28 VARIABLE_LIST 150
7.29 WAVEFORM 150
7.30 Common attributes 159
7.31 Output redirection (OPEN and CLOSE) 162
7.32 Conditional expression 162
7.33 Referencing 164
7.34 Strings 171
7.35 Expression 174
7.36 Text dictionary 180
Annex A (normative) EDDL formal definition 181
Annex B (normative) EDDL Builtin library 269
Annex C (informative) EDD example 410
Annex D (normative) Profiles of EDDL and Builtins 425
Annex E 454

Figure 1 – Position of the IEC 61804 series related to other standards and products 24
Figure 2 – EDD generation process 37
Figure 3 – BLOCK_A 40
Figure 4 – CHART 41
Figure 5 – COLLECTION 41
Figure 6 – COMMAND 41
Figure 7 – DOMAIN 42
Figure 8 – EDIT_DISPLAY 43
Figure 9 – FILE 43
Figure 10 – GRAPH 43
Figure 11 – GRID 43
Figure 12 – IMAGE 44
Figure 13 – LIKE 44
Figure 14 – LIST 44
Figure 15 – MENU 45
Figure 16 – PROGRAM 45
Figure 17 – RECORD 45
Figure 18 – REFERENCE_ARRAY 46
Figure 19 – REFRESH 46
Figure 20 – UNIT 46
Figure 21 – WRITE_AS_ONE 47

Copyright 2007 ISA. All rights reserved.

Figure 22 – SOURCE 47
Figure 23 – VALUE_ARRAY 47
Figure 24 – VARIABLE 47
Figure 25 – VARIABLE_LIST 48
Figure 26 – WAVEFORM 48
Figure 27 – EDDL import mechanisms 90
Figure 28 – MENU activation (ACCESS OFFLINE) 116
Figure 29 – Action performed after a new value is entered 116
Figure 30 – Action performed after all VARIABLE inputs of the MENU are accepted (ACCESS OFFLINE) 117
Figure 31 – Method execution 117
Figure 32 – MENU activation (ACCESS ONLINE) 118
Figure 33 – Cyclic reading of dynamic VARIABLEs (ACCESS ONLINE) 118
Figure 34 – Action performed after all VARIABLE inputs of the MENU are accepted (ACCESS ONLINE) 119
Figure 35 – Time for read-and-write operation 149
Figure C.1 – Example of an operator screen using EDD 410

Table 1 – Field attribute descriptions 34
Table 2 – DD_REVISION attribute 50
Table 3 – DEVICE_REVISION attribute 51
Table 4 – DEVICE_TYPE attribute 51
Table 5 – EDD_PROFILE attribute 51
Table 6 – EDD_VERSION attribute 53
Table 7 – MANUFACTURER attribute 53
Table 8 – MANUFACTURER_EXT attribute 53
Table 9 – AXIS attributes 54
Table 10 – MAX_VALUE, MIN_VALUE attribute 54
Table 11 – SCALING attribute 55
Table 12 – BLOCK_A attributes 56
Table 13 – CHARACTERISTIC attribute 57
Table 14 – PARAMETER attributes 57
Table 15 – AXIS_ITEMS attribute 58
Table 16 – CHART_ITEMS attribute 58
Table 17 – COLLECTION_ITEMS attribute 58
Table 18 – EDIT_DISPLAY_ITEMS attribute 59
Table 19 – FILE_ITEMS attribute 59
Table 20 – GRAPH_ITEMS attribute 59
Table 21 – GRID_ITEMS attribute 60
Table 22 – IMAGE_ITEMS attribute 60

Copyright 2007 ISA. All rights reserved.

Table 23 – LIST_ITEMS attribute 60
Table 24 – MENU_ITEMS attribute 61
Table 25 – METHOD_ITEMS attribute 61
Table 26 – PARAMETER_LISTS attributes 62
Table 27 – REFERENCE_ARRAY_ITEMS attribute 62
Table 28 – REFRESH_ITEMS attribute 63
Table 29 – SOURCE_ITEMS attribute 63
Table 30 – UNIT_ITEMS attribute 63
Table 31 – WAVEFORM_ITEMS attribute 63
Table 32 – WRITE_AS_ONE_ITEMS attribute 64
Table 33 – BLOCK_B attributes 64
Table 34 – NUMBER attributes 65
Table 35 – TYPE attributes 65
Table 36 – CHART attributes 66
Table 37 – CYCLE_TIME attribute 66
Table 38 – HEIGHT/WIDTH attribute 67
Table 39 – LENGTH attribute 68
Table 40 – TYPE attribute 68
Table 41 – COLLECTION attributes 69
Table 42 – item–type 69
Table 43 – COMMAND attributes 71
Table 44 – OPERATION attribute 71
Table 45 – TRANSACTION attributes 72
Table 46 – REPLY and REQUEST attributes 73
Table 47 – INDEX attribute 74
Table 48 – BLOCK_B attribute 74
Table 49 – NUMBER attribute 75
Table 50 – SLOT attribute 75
Table 51 – CONNECTION attribute 75
Table 52 – HEADER attribute 76
Table 53 – MODULE attribute 76
Table 54 – CONNECTION attribute 77
Table 55 – APPINSTANCE attribute 77
Table 56 – DOMAIN attributes 77
Table 57 – HANDLING attribute 78
Table 58 – EDIT_DISPLAY attributes 78
Table 59 – EDIT_ITEMS attribute 79
Table 60 – DISPLAY_ITEM attributes 79
Table 61 – POST_EDIT_ACTIONS, PRE_EDIT_ACTIONS attribute 80

Copyright 2007 ISA. All rights reserved.

Table 62 – FILE attributes 81
Table 63 – GRAPH attributes 82
Table 64 – HEIGHT/WIDTH attribute 82
Table 65 – CYCLE_TIME attribute 83
Table 66 – X_AXIS attribute 83
Table 67 – GRID attributes 85
Table 68 – VECTORS attribute 85
Table 69 – HANDLING attribute 86
Table 70 – HEIGHT/WIDTH attribute 86
Table 71 – ORIENTATION attribute 87
Table 72 – VALIDITY attributes 87
Table 73 – IMAGE attributes 88
Table 74 – PATH attribute 88
Table 75 – LINK attribute 89
Table 76 – VALIDITY attributes 89
Table 77 – Importing Device Description 90
Table 78 – Redefinition attributes 92
Table 79 – Redefinition rules for AXIS attributes 92
Table 80 – Redefinition rules for BLOCK_A attributes 93
Table 81 – Redefinition rules for BLOCK_B attributes 93
Table 82 – Redefinition rules for CHART attributes 94
Table 83 – Redefinition rules for COLLECTION attributes 94
Table 84 – Redefinition rules for COMMAND attributes 94
Table 85 – Redefinition rules for CONNECTION attributes 95
Table 86 – Redefinition rules for DOMAIN attributes 95
Table 87 – Redefinition rules for EDIT_DISPLAY attributes 95
Table 88 – Redefinition rules for FILE attributes 96
Table 89 – Redefinition rules for GRAPH attributes 97
Table 90 – Redefinition rules for GRID attributes 97
Table 91 – Redefinition rules for IMAGE attributes 97
Table 92 – Redefinition rules for LIST attributes 98
Table 93 – Redefinition rules for MENU attributes 98
Table 94 – Redefinition rules for METHOD attributes 100
Table 95 – Redefinition rules for PROGRAM attributes 100
Table 96 – Redefinition rules for RECORD attributes 100
Table 97 – Redefinition rules for REFERENCE_ARRAY attributes 100
Table 98 – Redefinition rules for RESPONSE_CODES attributes 101
Table 99 – Redefinition rules for SOURCE attributes 101
Table 100 – Redefinition rules for VALUE_ARRAY attributes 102

Copyright 2007 ISA. All rights reserved.

Table 101 – Redefinition rules for VARIABLE attributes 103
Table 102 – Redefinition rules for VARIABLE_LIST attributes 105
Table 103 – Redefinition rules for WAVEFORM attributes 105
Table 104 – LIKE attributes 106
Table 105 – LIST attributes 106
Table 106 – TYPE attribute 107
Table 107 – CAPACITY, COUNT attribute 107
Table 108 – MENU attribute 109
Table 109 – ITEMS attribute 110
Table 110 – ACCESS attribute 110
Table 111 – ENTRY attribute 111
Table 112 – POST_EDIT_ACTIONS, PRE_EDIT_ACTIONS, POST_READ_ACTIONS, PRE_READ_ACTIONS, POST_WRITE_ACTIONS, PRE_WRITE_ACTIONS attributes 111
Table 113 – PURPOSE attribute 113
Table 114 – ROLE attribute 114
Table 115 – STYLE attribute 115
Table 116 – VALIDITY attributes 115
Table 117 – METHOD attributes 119
Table 118 – ACCESS attributes 120
Table 119 – TYPE attributes 121
Table 120 – VALIDITY attributes 121
Table 121 – PROGRAM attributes 122
Table 122 – ARGUMENT attribute 122
Table 123 – RECORD attributes 123
Table 124 – REFERENCE_ARRAY attribute 123
Table 125 – ELEMENTS attribute 124
Table 126 – REFRESH attributes 125
Table 127 – UNIT attributes 125
Table 128 – WRITE_AS_ONE attribute 126
Table 129 – RESPONSE_CODES attributes 126
Table 130 – SOURCE attributes 127
Table 131 – EMPHASIS attribute 127
Table 132 – LINE_COLOR attribute 128
Table 133 – LINE_TYPE attribute 128
Table 134 – Y_AXIS attribute 129
Table 135 – VALUE_ARRAY attributes 130
Table 136 – NUMBER_OF_ELEMENTS attribute 131
Table 137 – TYPE attribute 131
Table 138 – VARIABLE attributes 131

Copyright 2007 ISA. All rights reserved.

Table 139 – CLASS attributes 132
Table 140 – TYPE attributes 134
Table 141 – DOUBLE, FLOAT, INTEGER, UNSIGNED_INTEGER attributes 136
Table 142 – BIT_ENUMERATED attributes 140
Table 143 – status–class attributes 140
Table 144 – ALL, AO, DV, TV attributes 141
Table 145 – Enumerated types attributes 142
Table 146 – Index type attributes 142
Table 147 – Object reference type attribute 143
Table 148 – DEFAULT_REFERENCE attributes 143
Table 149 – String types attributes 144
Table 150 – CONSTANT_UNIT attribute 145
Table 151 – DEFAULT_VALUE attribute 145
Table 152 – HANDLING attribute 146
Table 153 – INITIAL_VALUE attribute 146
Table 154 – POST_EDIT_ACTIONS, PRE_EDIT_ACTIONS, POST_READ_ACTIONS, PRE_READ_ACTIONS, POST_WRITE_ACTIONS, PRE_WRITE_ACTIONS, REFRESH_ACTIONS attributes 147
Table 155 – READ/WRITE_TIMEOUT attributes 149
Table 156 – STYLE attribute 149
Table 157 – VALIDITY attributes 150
Table 158 – VARIABLE_LIST attributes 150
Table 159 – WAVEFORM attributes 151
Table 160 – TYPE attribute 151
Table 161 – XY attribute 152
Table 162 – YT attribute 152
Table 163 – HORIZONTAL attribute 154
Table 164 – VERTICAL attribute 154
Table 165 – EMPHASIS attribute 154
Table 166 – HANDLING attribute 155
Table 167 – EXIT_ACTIONS, INIT_ACTIONS, REFRESH_ACTIONS attribute 155
Table 168 – KEY_POINTS attribute 156
Table 169 – X_VALUES, Y_VALUES attribute 156
Table 170 – LINE_COLOR attribute 157
Table 171 – LINE_TYPE attribute 157
Table 172 – Y_AXIS attribute 159
Table 173 – DEFINITION attributes 160
Table 174 – HELP attribute 160
Table 175 – LABEL attribute 160
Table 176 – MEMBERS attributes 161

Copyright 2007 ISA. All rights reserved.

Table 177 – RESPONSE_CODES attribute 162
Table 178 – OPEN and CLOSE attributes 162
Table 179 – IF, SELECT conditional 163
Table 180 – Referencing an EDD instance 164
Table 181 – Referencing elements of VARIABLE 164
Table 182 – Referencing elements of RECORD 165
Table 183 – Referencing elements of VALUE_ARRAY 166
Table 184 – Referencing members of COLLECTION 166
Table 185 – Referencing members of REFERENCE_ARRAY 166
Table 186 – Referencing members of VARIABLE_LISTS 167
Table 187 – Referencing members of a BLOCK_A PARAMETERS 167
Table 188 – Referencing members of BLOCK_A PARAMETER_LISTS 167
Table 189 – Referencing members of BLOCK_A LOCAL_PARAMETER 168
Table 190 – Referencing BLOCK_A CHARACTERISTICS 168
Table 191 – Referencing members of FILE 168
Table 192 – Referencing elements of LIST 169
Table 193 – Referencing members of CHART 169
Table 194 – Referencing members of GRAPH 169
Table 195 – Referencing members of SOURCE 170
Table 196 – Referencing AXIS of a GRAPH. SOURCE, WAVEFORM 171
Table 197 – String as a string literal 171
Table 198 – String as a string variable 172
Table 199 – String as an enumeration value 172
Table 200 – String as a dictionary reference 172
Table 201 – Referencing HELP and LABEL attributes of EDD instances 173
Table 202 – String operation 173
Table 203 – Format specifier 173
Table 204 – Primary expressions 174
Table 205 – Attribute values of VARIABLEs 175
Table 206 – AXIS Attribute Values 175
Table 207 – LIST Attribute Values 176
Table 208 – Unary expressions 176
Table 209 – Multiplicative operators 177
Table 210 – Additive operators 177
Table 211 – Shift operators 177
Table 212 – Relational operators 178
Table 213 – Equality operators 178
Table 214 – Text dictionary attributes 180
Table A.1 – Conventions for integer constants 185

Copyright 2007 ISA. All rights reserved.

Table A.2 – Using escape sequences in string literals 186
Table A.3 – Using language codes in string literals 187
Table A.4 – EDDL operators 188
Table A.5 – EDDL keywords 188
Table B.1 – Format for the Builtins lexical element tables 269
Table B.2 – Contents of the lexical element table 269
Table B.3 – Builtin abort 270
Table B.4 – Builtin abort_on_all_comm_errors 270
Table B.5 – Builtin ABORT_ON_ALL_COMM_STATUS 271
Table B.6 – Builtin ABORT_ON_ALL_DEVICE_STATUS 271
Table B.7 – Builtin ABORT_ON_ALL_RESPONSE_CODES 272
Table B.8 – Builtin abort_on_all_response_codes 272
Table B.9 – Builtin abort_on_comm_error 273
Table B.10 – Builtin ABORT_ON_COMM_ERROR 274
Table B.11 – Builtin ABORT_ON_COMM_STATUS 274
Table B.12 – Builtin ABORT_ON_DEVICE_STATUS 275
Table B.13 – Builtin ABORT_ON_NO_DEVICE 275
Table B.14 – Builtin ABORT_ON_RESPONSE_CODE 276
Table B.15 – Builtin abort_on_response_code 277
Table B.16 – Builtin abs 277
Table B.17 – Builtin ACKNOWLEDGE 278
Table B.18 – Builtin acknowledge 278
Table B.19 – Builtin acos 278
Table B.20 – Builtin add_abort_method 279
Table B.21 – Builtin add_abort_method 280
Table B.22 – Builtin asin 280
Table B.23 – Builtin assign 280
Table B.24 – Builtin assign_double 281
Table B.25 – Builtin assign_float 281
Table B.26 – Builtin assign_int 282
Table B.27 – Builtin assign_var 283
Table B.28 – Builtin atan 283
Table B.29 – Builtin ATOF 283
Table B.30 – Builtin atof 284
Table B.31 – Builtin ATOI 284
Table B.32 – Builtin atoi 285
Table B.33 – Builtin BUILD_MESSAGE 286
Table B.34 – Builtin cbrt 286
Table B.35 – Builtin ceil 286

Copyright 2007 ISA. All rights reserved.

Table B.36 – Builtin cos 287
Table B.37 – Builtin cosh 287
Table B.38 – Builtin dassign 287
Table B.39 – Builtin Date_to_DayOfMonth 288
Table B.40 – Builtin Date_to_Month 288
Table B.41 – Builtin Date_to_Year 289
Table B.42 – Builtin DELAY 289
Table B.43 – Builtin delay 290
Table B.44 – Builtin DELAY_TIME 291
Table B.45 – Builtin delayfor 291
Table B.46 – Builtin DICT_ID 292
Table B.47 – Builtin discard_on_exit 293
Table B.48 – Builtin display 293
Table B.49 – Builtin display_builtin_error 293
Table B.50 – Builtin display_comm_error 295
Table B.51 – Builtin display_comm_status 295
Table B.52 – Builtin display_device_status 295
Table B.53 – Builtin display_dynamics 296
Table B.54 – Builtin display_message 297
Table B.55 – Builtin display_response_code 298
Table B.56 – Builtin display_response_status 299
Table B.57 – Builtin display_xmtr_status 299
Table B.58 – Builtin edit_device_value 300
Table B.59 – Builtin edit_local_value 302
Table B.60 – Builtin exp 302
Table B.61 – Builtin ext_send_command 304
Table B.62 – Builtin ext_send_command_trans 304
Table B.63 – Builtin fail_on_all_comm_errors 305
Table B.64 – Builtin fail_on_all_response_codes 306
Table B.65 – Builtin fail_on_comm_error 306
Table B.66 – Builtin fail_on_response_code 307
Table B.67 – Builtin fassign 307
Table B.68 – Builtin fgetval 308
Table B.69 – Builtin float_value 308
Table B.70 – Builtin floor 308
Table B.71 – Builtin fmod 309
Table B.72 – Builtin fsetval 309
Table B.73 – Builtin ftoa 309
Table B.74 – Builtin fvar_value 310

Copyright 2007 ISA. All rights reserved.

Table B.75 – Builtin get_acknowledgement....311
Table B.76 – Builtin get_comm_error....312
Table B.77 – Builtin get_comm_error_string....312
Table B.78 – Builtin get_date....314
Table B.79 – Builtin get_date_value....314
Table B.80 – Builtin get_dds_error....315
Table B.81 – Builtin GET_DEV_VAR_VALUE....315
Table B.82 – Builtin get_dev_var_value....317
Table B.83 – Builtin get_dictionary_string....318
Table B.84 – Builtin get_double....318
Table B.85 – Builtin get_double_value....320
Table B.86 – Builtin get_enum_string....320
Table B.87 – Builtin get_float....321
Table B.88 – Builtin get_float_value....321
Table B.89 – Builtin GET_LOCAL_VAR_VALUE....322
Table B.90 – Builtin get_local_var_value....322
Table B.91 – Builtin get_more_status....324
Table B.92 – Builtin get_resolve_status....324
Table B.93 – Builtin get_response_code....325
Table B.94 – Builtin get_response_code_string....326
Table B.95 – Builtin get_signed....326
Table B.96 – Builtin get_signed_value....327
Table B.97 – Builtin get_status_code_string....327
Table B.98 – Builtin get_status_string....328
Table B.99 – Builtin get_stddict_string....329
Table B.100 – Builtin get_string....330
Table B.101 – Builtin get_string_value....330
Table B.102 – Builtin GET_TICK_COUNT....331
Table B.103 – Builtin get_unsigned....331
Table B.104 – Builtin get_unsigned_value....332
Table B.105 – Builtin iassign....332
Table B.106 – Builtin igetval....333
Table B.107 – Builtin IGNORE_ALL_COMM_STATUS....333
Table B.108 – Builtin IGNORE_ALL_DEVICE_STATUS....334
Table B.109 – Builtin IGNORE_ALL_RESPONSE_CODES....335
Table B.110 – Builtin IGNORE_COMM_ERROR....335
Table B.111 – Builtin IGNORE_COMM_STATUS....336
Table B.112 – Builtin IGNORE_DEVICE_STATUS....336
Table B.113 – Builtin IGNORE_NO_DEVICE....337

Copyright 2007 ISA. All rights reserved.

Table B.114 – Builtin IGNORE_RESPONSE_CODE 338
Table B.115 – Builtin int_value 338
Table B.116 – Builtin is_NaN 338
Table B.117 – Builtin isetval 339
Table B.118 – Builtin ITEM_ID 339
Table B.119 – Builtin ITOA 340
Table B.120 – Builtin itoa 340
Table B.121 – Builtin ivar_value 340
Table B.122 – Builtin lassign 341
Table B.123 – Builtin lgetval 341
Table B.124 – Builtin ListDeleteElementAt 342
Table B.125 – Builtin ListInsert 342
Table B.126 – Builtin log 343
Table B.127 – Builtin log10 343
Table B.128 – Builtin log2 345
Table B.129 – Lexical elements of Builtin LOG_MESSAGE 345
Table B.130 – Builtin long_value 345
Table B.131 – Builtin lsetval 346
Table B.132 – Builtin lvar_value 346
Table B.133 – Builtin MEMBER_ID 347
Table B.134 – Builtin MenuDisplay 347
Table B.135 – Builtin method_abort 348
Table B.136 – Builtin process_abort 348
Table B.137 – Builtin pow 349
Table B.138 – Builtin process_abort 349
Table B.139 – Builtin put_date 350
Table B.140 – Builtin put_date_value 350
Table B.141 – Builtin put_double 351
Table B.142 – Builtin put_double_value 352
Table B.143 – Builtin put_float 352
Table B.144 – Builtin put_float_value 353
Table B.145 – Builtin PUT_MESSAGE 353
Table B.146 – Builtin put_message 354
Table B.147 – Builtin put_signed 355
Table B.148 – Builtin put_signed_value 355
Table B.149 – Builtin put_string 356
Table B.150 – Builtin put_string_value 357
Table B.151 – Builtin put_unsigned 357
Table B.152 – Builtin put_unsigned_value 358

Copyright 2007 ISA. All rights reserved.

Table B.153 – Lexical elements of Builtin READ_COMMAND 359
Table B.154 – Builtin read_value 359
Table B.155 – Builtin remove_abort_method 360
Table B.156 – Builtin remove_abort_method 360
Table B.157 – Builtin remove_all_abort_methods 361
Table B.158 – Builtin resolve_array_ref 362
Table B.159 – Builtin resolve_block_ref 362
Table B.160 – Builtin resolve_param_list_ref 363
Table B.161 – Builtin resolve_parm_ref 363
Table B.162 – Builtin resolve_record_ref 364
Table B.163 – Builtin retry_on_all_comm_errors 365
Table B.164 – Builtin RETRY_ON_ALL_COMM_STATUS 366
Table B.165 – Builtin RETRY_ON_ALL_DEVICE_STATUS 367
Table B.166 – Builtin RETRY_ON_ALL_RESPONSE_CODES 367
Table B.167 – Builtin retry_on_all_response_codes 368
Table B.168 – Builtin RETRY_ON_COMM_ERROR 368
Table B.169 – Builtin retry_on_comm_error 369
Table B.170 – Builtin RETRY_ON_COMM_STATUS 370
Table B.171 – Builtin RETRY_ON_DEVICE_STATUS 370
Table B.172 – Builtin RETRY_ON_NO_DEVICE 371
Table B.173 – Builtin RETRY_ON_RESPONSE_CODE 372
Table B.174 – Builtin retry_on_response_code 372
Table B.175 – Builtin round 373
Table B.176 – Builtin rspcode_string 373
Table B.177 – Builtin save_on_exit 374
Table B.178 – Builtin save_values 374
Table B.179 – Builtin SELECT_FROM_ LIST 375
Table B.180 – Builtin select_from_list 375
Table B.181 – Builtin select_from_menu 376
Table B.182 – Builtin send 377
Table B.183 – Builtin send_all_values 377
Table B.184 – Builtin send_command 378
Table B.185 – Builtin send_command_trans 379
Table B.186 – Builtin send_on_exit 379
Table B.187 – Builtin send_trans 380
Table B.188 – Builtin send_value 380
Table B.189 – Builtin SET_NUMBER_OF_RETRIES 381
Table B.190 – Builtin sin 381
Table B.191 – Builtin sinh 382

Copyright 2007 ISA. All rights reserved.

Table B.192 – Builtin sqrt 382
Table B.193 – Builtin strcmp 382
Table B.194 – Builtin strlen 383
Table B.195 – Builtin strlwr 383
Table B.196 – Builtin strmid 384
Table B.197 – Builtin strstr 384
Table B.198 – Builtin strtrim 384
Table B.199 – Builtin strupr 385
Table B.200 – Builtin tan 385
Table B.201 – Builtin tanh 385
Table B.202 – Builtin To_Date_and_Time 386
Table B.203 – Builtin trunc 386
Table B.204 – Builtin VARID 388
Table B.205 – Builtin vassign 388
Table B.206 – Builtin WRITE_COMMAND 388
Table B.207 – Builtin XMTR_ABORT_ON_ALL_COMM_STATUS 389
Table B.208 – Builtin XMTR_ABORT_ON_ALL_DEVICE_STATUS 390
Table B.209 – Builtin XMTR_ABORT_ON_ALL_RESPONSE_CODES 390
Table B.210 – Builtin XMTR_ABORT_ON_COMM_ERROR 391
Table B.211 – Builtin XMTR_ABORT_ON_COMM_STATUS 391
Table B.212 – Builtin XMTR_ABORT_ON_DATA 392
Table B.213 – Builtin XMTR_ABORT_ON_DEVICE_STATUS 393
Table B.214 – Builtin XMTR_ABORT_ON_NO_DEVICE 394
Table B.215 – Builtin XMTR_ABORT_ON_RESPONSE_CODE 394
Table B.216 – Builtin XMTR_IGNORE_ALL_COMM_STATUS 395
Table B.217 – Builtin XMTR_IGNORE_ALL_DEVICE_STATUS 395
Table B.218 – Builtin XMTR_IGNORE_ALL_RESPONSE_CODES 396
Table B.219 – Builtin XMTR_IGNORE_COMM_ERROR 397
Table B.220 – Builtin XMTR_IGNORE_COMM_STATUS 397
Table B.221 – Builtin XMTR_IGNORE_DEVICE_STATUS 398
Table B.222 – Builtin XMTR_IGNORE_NO_DEVICE 399
Table B.223 – Builtin XMTR_IGNORE_RESPONSE_CODE 399
Table B.224 – Builtin XMTR_RETRY_ON_ALL_DEVICE_STATUS 400
Table B.225 – Builtin XMTR_RETRY_ON_ALL_RESPONSE_CODE 402
Table B.226 – Builtin XMTR_RETRY_ON_ALL_RESPONSE_CODES 402
Table B.227 – Builtin XMTR_RETRY_ON_COMM_ERROR 403
Table B.228 – Builtin XMTR_RETRY_ON_COMM_STATUS 403
Table B.229 – Builtin XMTR_RETRY_ON_DATA 404
Table B.230 – Builtin XMTR_RETRY_ON_DEVICE_STATUS 404

Copyright 2007 ISA. All rights reserved.

Table B.231 – Builtin XMTR_RETRY_ON_NO_DEVICE 406
Table B.232 – Builtin XMTR_RETRY_ON_RESPONSE_CODE 406
Table B.233 – Builtin YearMonthDay_to_Date 408
Table B.234 – Contents of the return codes description table 408
Table B.235 – Return Code Description 408
Table D.1 – Profile selection tables 425
Table D.2 – EDDL Formal Definition profile tables 425
Table D.3 – Contents of selection tables 425
Table D.4 – EDDL element selection for PROFIBUS 426
Table D.5 – Builtin profile for PROFIBUS 429
Table D.6 – EDDL element selection for Fieldbus Foundation 433
Table D.7 – Builtin profile for Fieldbus Foundation 437
Table D.8 – EDDL element selection for HCF 441
Table D.9 – Builtin profile for HCF 445
Table D.10 – METHOD DEFINITIONS data types 449
Table D.11 – VARIABLE TYPES 449
Table D.12 – DATE coding 450
Table D.13 – DATE_AND_TIME coding 451
Table D.14 – DURATION coding 451
Table D.15 – TIME coding 452
Table D.16 – TIME_VALUE coding 452
Table D.17 – PACKED_ASCII coding 453

Copyright 2007 ISA. All rights reserved.